

FD Consultants

Psychosocial Support and Trauma Specialist Services

The aftermath of Trauma



We all respond to crisis in different ways. Some may respond with a strong emotional reaction, while others may feel detached, some with anger or sadness. Response to crisis is as varied as each of our personalities, yet most of us will usually feel quite disoriented in facing new realities and the need to make adjustments.

Take a look through the common reactions after a traumatic event and keep tabs on changes you are experiencing. These are normal reactions, and will vary from person to person, event to event. However, if these symptoms persist and are having a negative impact on your life one month after the event, we recommend getting professional help.

Immediately after (first 24 hours):	Following days:
Any changes in your body?	
<ul style="list-style-type: none"> • Shaking • Sweating • Pounding heart • Shortness of breath 	<ul style="list-style-type: none"> • Digestive/stomach problems • Weight loss or gain • Fatigue/tiredness • Sleep problems • Headaches, or other general pain • Feeling physically charged or tense muscles • Heart problems • Susceptible to sickness/infections • Worsening of existing medical problems
Any changes in your emotions?	
<ul style="list-style-type: none"> • Intense fear • Easily startled/jumpy • Extreme emotions such as crying or shouting • Guilt and shame • Shock or numbness 	<ul style="list-style-type: none"> • Sadness • Irritable/easily angered • Constant worry, fear or paranoia • Hopelessness or meaninglessness • Self-blame • Feeling flat, not finding pleasure • Low self-esteem • Disturbing dreams
Any changes in your thinking?	
<ul style="list-style-type: none"> • Disoriented and confused • Denial/disbelief • Intrusive thoughts or images • Impulse to make big decisions 	<ul style="list-style-type: none"> • Difficulty concentrating • Lack of creativity • Obsessing and/or ruminating • Poor decision-making ability • Cynicism and pessimism •
Any changes in your behaviours?	
<ul style="list-style-type: none"> • Crying • Shouting • Substance use 	<ul style="list-style-type: none"> • Withdrawing socially • Increase in smoking/drinking • Eating more or less • Interpersonal conflict • Reduced performance • Staying in bed • Deflecting conflict or tension

There is no “right” way of responding in the aftermath of crisis. There are however, choices you can make to reduce the negative impact in the long run. Here are a few ideas for you to consider as you and your colleagues, friends and families move forward:

Ask for help. You may or may not feel the need for help. We recommend that you reach out to a trusted friend or a professional either way. Seeking help may mean that you overcome pride or scepticism for the sake of self-care. Processing the event mitigates the potential for delayed and cumulative effects of trauma and is a necessity in many humanitarian roles. If trauma symptoms persist for longer than one month, it’s time to get help.

Connect. Relationships have proven time and again to be the most significant protective factor during crisis—and in life in general. You may have an impulse to withdrawal - this is an impulse to resist. Be intentional about connecting.

Self-compassion. As noted, we all respond differently to trauma. Accept the way that you have responded and be kind to yourself. You may need to lower personal expectations or decide not to fight the emotions inside you.

Routine. Put one foot in front of the other. Begin establishing a new routine with familiar tasks. Are there ways in which you can simply “show-up” in providing some structure in your day.

Move. Do something that gets you sweating and breathing. Aerobic exercise makes our brains release endorphins that can lighten your mood and give you fresh perspective. It has the ability to turn the body’s stress reaction down, making it possible to become more relaxed. Whether it’s yoga, running, walking, football, etc...give yourself the gift of exercise.

Be aware of the quick fixes. Life after trauma is hard and it’s understandable that you may have needed some quick fixes e.g. alcohol, drugs, overworking etc. They may have served their purpose but be mindful that their long-term impact goes against your holistic wellbeing.

We turn to quick fixes, often unconsciously, because facing the thoughts and feelings of loss and grief can be overwhelming. Most of us have our “go-to” tactics for escaping. These habits become exceedingly dangerous when they become normal and, in effect, prevent us from accepting reality and moving forward.

About FD Consultants

FD Consultants support anyone who has been impacted by trauma through work or personal circumstances, whether directly or indirectly. We offer consultancy to organisations when implementing a trauma management programme and duty of care policies for psychosocial support. FD Consultants offer services to enable individuals to remain resilient in highly stressful environments and situations.

We support individuals suffering burnout, vicarious trauma, cumulative stress, and compassion fatigue. We believe in working and walking alongside individuals or organisations empowering them to find their own solutions and we strongly believe everyone can recover from mental health challenges with the right help and support.